

PCT/EP200 4 / 0 0 6 4 2 4



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

REC'D 23 AUG 2004

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03257912.0

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

Anmeldung Nr:
Application no.: 03257912.0
Demande no:

Anmeldetag:
Date of filing: 16.12.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

UNILEVER PLC
Unilever House,
Blackfriars
London EC4P 4BQ
GRANDE BRETAGNE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Stabilized fruit pulp composition and a puree composition comprising the same

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)

Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

A23L3/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

16 DEC 2003

RECEIVED BY FA

1

STABILIZED FRUIT PULP COMPOSITION AND A
PUREE COMPOSITION COMPRISING THE SAME

FIELD OF THE INVENTION

5

The present invention is directed to a stabilized fruit pulp composition comprising chunks of said fruit as well as a stable puree composition comprising the same. More particularly, the invention is directed to a stabilized fruit pulp composition comprising chunks of said fruit, wherein said pulp composition has not been subjected to chemical treatment, high vacuum processing and temperatures over about 90°C. The stabilized fruit pulp composition of the present invention unexpectedly has an extended shelf life at about ambient temperature, may be added to a thickening base to produce a stable puree composition having a viscosity of at least about 5,000 centipoise, and is suitable for human consumption.

BACKGROUND OF THE INVENTION

20

Consumption of nutrients, like antioxidants and folic acid, which are abundant in fruits and vegetables, has been linked to a lower incidence of cardiovascular disease. Moreover, it is well settled that eating fruits high in soluble fiber can reduce cholesterol levels which protects against atherosclerosis.

Other advantages of having a diet high in fruit include better athletic performances, reduced risk of developing chronic bronchitis, a lowered risk of getting most common cancers (including breast cancer), as well as a lowered risk of getting cataracts.

While food products, like dressings, dips and spreads, comprising fruits have been linked to health benefits in humans, such products are often difficult to prepare for sale
5 in commerce. This is true because the quality of food products comprising fruit often deteriorates (e.g., browns, darkens, grows mold and/or changes or reduces flavor) due to enzymatic reactions within the food product, thereby resulting in a product that has a short shelf life and does not have an
10 appealing look or taste after spending a limited period of time in conventional commercial channels.

Known techniques have been used to inhibit the deterioration of food products comprising fruits. These known techniques include
15 pasteurization of the fruit, high vacuum processing for removing oxygen, and chemically treating the fruit with sulfiting agents before making the food product. The above-described known techniques do not eliminate, for example, browning and darkening in food products comprising fruit, and
20 such techniques have adverse effects on the flavor, aroma, texture and nutritional value of the fruits treated, as well as the food products prepared therefrom.

Also, such techniques and conventional food processing
25 techniques often lead to products which do not have good texture and/or which feel soft or mushy in the mouth when eaten. This is not always a texture or mouthfeel which is desired by consumers.

30 It is of increasing interest to develop a stabilized fruit pulp composition and a stable puree composition (i.e., food product) that does not, for example, easily brown, darken and changes or reduces flavor and that has an extended shelf life at about

ambient temperature. It is also of increasing interest to develop a stabilized fruit composition that has good organoleptic properties e.g. mouthfeel and which has a good texture. In particular, it is of increasing interest to develop
5 a composition which does not feel too soft or mushy in the mouth and in which the consumer can detect distinct pieces of fruit but which pieces at the same time are not undesirably large. This invention, therefore, is directed to a stabilized fruit pulp composition that has not been subjected to chemical
10 treatment, high vacuum processing and temperatures over about 90°C. The stabilized fruit pulp composition of this invention can be used to make a stable puree composition having a viscosity of at least about 5,000 centipoise. Moreover, the stabilized fruit pulp composition of this invention and the
15 stable puree composition prepared therefrom unexpectedly have an extended shelf life at about ambient temperature and substantially the same visual, texture, aroma and taste attributes of a pulp composition and puree composition made on demand from freshly picked fruits.

20

ADDITIONAL INFORMATION

Efforts have been disclosed for making fruit pump. In U.S. Patent No. 5,384,147, a method for processing avocado pulp is
25 described.

Other efforts have been disclosed for making stabilized fruit. In U.S. Patent No. 5,871,794, a guacamole composition with tomatillo pulp is described.

30

Still other efforts have been disclosed for making creamy food formulations. In U.S. Patent No. 6,284,303, a vegetable based creamy food is described.

- 5 None of the additional information above describes a stabilized fruit pulp that has not been subjected to chemical treatment, high vacuum processing and temperatures that exceed about 90°C.

SUMMARY OF THE INVENTION

10

In a first aspect, the present invention is directed to a stabilized fruit pulp composition comprising:

- (a) from about 50.0% to about 99.0% by weight water;
(b) fruit pulp comprising chunks, said chunks having dimensions
15 of from 1x1x1 mm to 15x15x15 mm; and
(c) 0.01 to about 40.0% by weight oil,

wherein the stabilized fruit pulp composition is the product of fruit comprising water, pulp comprising said chunks, and oil that has been heated to a temperature from about 30°C to a
20 temperature not over about 90°C for less than about four minutes and that has a hardness factor of at least about 300 dynes prior to heating.

- In a second aspect, the present invention is directed to a
25 stable puree composition comprising:

- (a) from about 20.0 to about 95.0% by weight water;
(b) from about 0.01 to about 10.0% by weight thickening base; and
30 (c) 1 to about 75.0% by weight of stabilized fruit pulp composition comprising chunks, said chunks having dimensions of from 1x1x1 mm to 15x15x15 mm.

5

wherein the puree composition has a viscosity from about 5,000 to about 90,000 (preferably from about 18,000 to about 30,000 centipoise) centipoise, and a shelf life at about ambient temperature of at least about 65 days.

5

In a third aspect, the present invention is directed to a method for making the stabilized fruit pulp composition of the first aspect of this invention.

10 In a fourth aspect, the present invention is directed to a method for making the stabilized puree composition of this invention.

15 Fruit, as used herein, means the ripening part of a plant and usually the seed-bearing part of a plant. Fresh and/or frozen fruit may be used. Oil means naturally occurring triglycerides and their derivatives found in (i.e., originating in) the stabilized fruit pulp composition.

20 Stabilized (or stable) means substantially no mold growth, browning, darkening and flavor change or reduction for at least about 65 days, and preferably, for at least about 85 days when kept in a covered (i.e., sealed) package at about ambient temperature.

25

Puree is defined to mean a composition comprising stabilized fruit pulp composition and thickening base whereby the composition can be used, for example, as a dressing, dip, spread, baking additive, cooking additive, or any combination
30 thereof.

Thickening base is defined to mean an agent that can be flavored and colored to mimic most characteristics of the stabilized fruit pulp composition and aid in viscosity maintenance of the stable puree composition prepared therefrom.

5

Viscosity, as used herein, means deformation properties obtained with a Haake Rheometer equipped with a set of concentric, bob-in-cup, cylinders (3mm gap) wherein the bob employed has a diameter of 30.4mm, the cup has a diameter of 10 42mm, and shearing occurs by ramping cylinder oscillation at a rate from 0 to 135 reciprocal seconds at ambient temperature. Viscosity reported is taken at a shear rate of 10 reciprocal seconds.

15 Hardness factor, as used herein, means the hardness value obtained on a 4 mm thick slice of fruit (using a TA-TX2 Texture Analyzer made available by SMS Stable Micro Systems) at ambient temperature being subjected to compression using a 50 kg load cell moving at 1mm/sec, with the hardness factor being 20 determined from the observed first peak in a force distance curve.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

There is no limitation with respect to the type of fruit that
5 may be used to make the stabilized pulp composition and stable
puree composition of the present invention, as long as the
fruit is one that is suitable for human consumption. Often,
the fruit used in this invention is an avocado, banana, mango,
guava, fig, papaya, kiwi, star fruit, pineapple, combination
10 thereof, or the like. In a most preferred embodiment, the fruit
employed in this invention is avocado.

When selecting the fruit to make the stabilized fruit pulp
composition and stable puree composition of this invention, the
15 fruit is generally picked from about 1 to about 4 weeks, and
preferably, from about 1 to about 3 weeks, and most preferably,
from about 2 to about 3 weeks prior to being ripe. The picked
fruit is then stored in a dark room (at a temperature between
about 10°C to about 35°C) for less than about 1.5 weeks, and
20 preferably, less than about 1 week, and most preferably, less
than about 3 days. In an especially preferred embodiment, the
fruit selected for use in this invention, after being picked or
harvested, is subjected to storage conditions of relative
humidity between about 40-70%, and most preferably, between
25 about 50-65%.

When preparing the fruit selected for use in this invention,
the fruit is, in no particular order, peeled and depitted or
cored, if necessary. The resulting fruit flesh is then mashed
30 to a desired texture or consistency to produce fruit pulp
provided that chunks having the size according to the invention
are present. Alternatively, the fruit is cut rather than mashed
to produce chunks of the required size. It is preferred that

the dimensions of the chunks are from about 2x2x2 mm to about 10x10x10 mm, preferably from about 3x3x3 mm to about 5x5x5 mm. In a preferred embodiment, the fruit pulp produced is prepared from fruit having a hardness factor from about 300 dynes to
5 about 3,000 dynes. The fruit pulp is then heated (e.g., in a water bath, in an oven, microwave oven, in surface scraped heat exchangers, intube heat exchangers, by steam injection or with adiabatic heating in a high pressure vessel) to a temperature from about 30°C to a temperature not over about 90°C for less
10 than about 4 minutes, and preferably, from about 10 seconds to about 3.5 minutes, thereby producing a stabilized fruit pulp having from about 0.01 to about 20.0% (preferably at least about 5.0% and most preferably at least about 10.0%) by weight oil and substantially no active enzymes (i.e., all quality
15 detrimental enzymes like amylase, lipoxxygenase, polyphenol oxidase (PPO) are substantially inactivated).

The fruit pulp may comprise only the fruit chunks having the desired particle size, or, the pulp may comprise the
20 aforementioned fruit chunks in combination with smaller or larger chunks. It is especially preferred that the fruit pulp comprises at least 20% by weight of the claimed chunks, preferably at 30-100% by weight, most preferably 40-90% by weight.

25

In yet another preferred embodiment, acidulant is added to and mixed within the fruit pulp prior to heating. When acidulant is used, it typically makes up from about 0.01 to about 5.0% by weight of the fruit pulp being heated. The acidulant which may
30 be used in this invention includes those which are typically used in food compositions, like lactic acid, citric acid, sorbic acid, hydrochloric acid, ascorbic acid, phosphoric acid, mixtures thereof, and the like.

There is no limitation with respect to the thickening base which may be used in this invention as long as the base is suitable for human consumption. Such a thickening base is typically a citrus fiber or vegetable puree (or mixture thereof) containing composition comprising water insoluble fibers. Therefore, the thickening base employable in this invention has food components derived from, for example, plant material that are generally resistant to digestion and absorption in the human small intestine. The thickening base can be, for example, sweetened or unsweetened applesauce, or sweetened or unsweetened cellulosic material derived from the core of an orange or other citrus fruits. Such a cellulosic material can comprise rag and small amounts of peel from the citrus fruit. Typically, the citrus fiber that makes up the thickening base of the present invention is substantially similar to or the same as the texturizing properties of the stabilized fruit pulp composition used to make the stable puree composition of this invention. Preferably, the citrus fiber within the thickening base, in dry form, has a particle size from about 50 microns to about 200 microns, including all ranges subsumed therein, and the types of thickening bases that may be used in this invention include those made commercially available from suppliers like Herbstreith & Fox, BASF Corporation and FMC Corporation.

When making the stable puree composition of the present invention, typically from about 20.0 to about 95.0%, and preferably, from about 25.0 to about 75.0%, and most preferably, from about 50.0 to about 65.0% by weight water is combined with from about 0.01 to about 10.0%, and preferably, from about 0.01 to about 7.5%, and most preferably, from about 1.0 to about 3.5% by weight thickening base, based on total

10

weight of the stable puree composition and including all ranges subsumed therein. The resulting base combination is then mixed (preferably with conditions at ambient temperature and atmospheric pressure) to produce a base suspension.

- 5 The thickening base suspension and the fruit pulp comprising chunks may be stabilized by the heating step separately, although, according to one preferred embodiment the thickening base and the fruit pulp comprising chunks are mixed together before the stabilisation step occurs so that they undergo the
10 stabilisation step together.

Optional additives may be employed in this invention, and added, for example, to the base combination. The optional additives which may be used include artificial and natural food
15 grade flavors and colors; protein powders like whey protein; preservatives like potassium sorbate and sodium benzoate; gums like pectin, xanthan gum and guar gum; emulsifiers like monoglycerides, diglycerides, and polysorbate; acids to modify pH like lactic acid and hydrochloric acid; spices like salt,
20 ginger, nutmeg, basil, cinnamon, onion, garlic and pepper; and texturizing agents like microcrystalline cellulose (e.g., Avicel as made available by FMC Corporation).

While such optional additives may be added at anytime during
25 the process for making the stable puree composition of this invention, they are preferably added to the base combination and just prior to generating the base suspension. In a preferred embodiment, however, when flavor is a desired optional additive, the flavor is added just prior to generating
30 the puree composition of this invention. In yet another preferred embodiment, about 5.0 to about 10.0% by weight of the total water added to make the base suspension is added with the optional additives.

The flavors used in this invention may be added according to taste and the colors are added according to color preferences. The acids to modify pH are added to bring the pH of the stable puree composition to at least about 3.0, but less than or equal to about 4.1 during the heating step of the preparation process. The preferred amount of acid added to the base combination results in a stable puree composition having a pH from about 3.3 to about 4.0. After the acids have been added to bring the pH within the aforementioned pH range and the stabilisation step has taken place, the pH of the fruit pulp or fruit puree can be increased e.g. by adding an edible hydroxide such as sodium hydroxide. There are no pH restrictions for the final stabilized fruit pulp or stabilized fruit puree, provided that the pH thereof during the stabilisation step is in the range given herein. The emulsifiers and preservatives are added to enhance stability of the puree composition. The spices employed are added to taste, the gums are added to maintain a desired stable puree composition viscosity and the protein powders are added as desired. Generally, the amount of optional additives employed in the puree composition does not exceed 10.0% by weight of the total weight of the stable puree composition.

Subsequent to generating the base suspension, the same is subjected to a standard colloid mill having gap widths from about 125 microns to about 1250 microns, and preferably, from about 250 microns to about 750 microns, or a homogenizer operating under pressures from about 30 to about 300 bar. The resulting milled or homogeneous suspension is then combined with the claimed stabilized fruit pulp composition to produce the stable puree composition of this invention. The amount of stabilized fruit pulp composition employed is typically from

12

about 1.0 to about 75.0%, and preferably, from about 5.0 to about 50.0%, and most preferably, from about 10.0 to about 25.0% by weight stabilized fruit pulp composition, based on total weight of the stable puree composition.

5

In an especially preferred embodiment, a fat additive may be added to the base suspension. Such a fat additive can be natural or synthetic and is a component delivered to the stable puree composition distinct from any oil delivered with the
10 stabilized fruit pulp composition. The fat additive can be, for example, corn oil, cotton seed oil, olive oil, canola oil, palm oil, safflower oil, rapeseed oil, soybean oil, mixtures thereof and the like. The fat additive may also be a fat substitute such as fatty acid-esterified propoxylated glycerin
15 compositions as well as sucrose fatty acid polyesters. When employed, the fat additive makes up from about 0.5 to about 25.0%, and preferably, from about 5.0 to about 20.0% by weight of the puree composition, based on total weight of the stable puree composition.

20

The stable puree composition of this invention is suitable for numerous food applications. For example, the composition may be used as a dressing, dip or spread, or as cooking or baking additive. Such a stable puree composition can be packaged in
25 conventional food packaging (e.g., plastic or glass bottles) and hot filling (i.e., pasteurization) is not required to maintain product stability.

The following examples are provided to facilitate an
30 understanding of the present invention. The examples are not intended to limit the scope of the invention as set forth in the claims.

Example 1

Avocado, having a hardness factor of about 300 dynes, was
5 harvested about 2.5 weeks prior to being ripe and stored in a
dark room kept at about 25°C (relative humidity about 55%) for
about two (2) days.

The avocado was cut in half and depitted to produce an avocado
10 half. The avocado half was peeled, mashed so that it had a
particle size of 3x3x3 mm and mixed with 0.5% by weight
ascorbic acid and then heated to about 85°C for 3.0 minutes.
The heated mashed avocado was cooled, thereby producing
stabilized avocado pulp composition having about 15% by weight
15 oil and 80.0% by weight water, with substantially no active
polyphenol oxidase.

Example 2

20 Avocado pulp was obtained from a commercial supplier. The
avocado pulp was acidified to a pH of 4.3. The pulp was heated
for 2 min at a temperature of 75C. The product was packed.
After two days the pulp had turned brown and so the test was
stopped.

25

Example 3

Avocado pulp was obtained from a commercial supplier. The
avocado pulp was acidified to a pH of 3.5. The pulp was heated
30 for 2 min at a temperature of 75C. The product was packed.
After about 65 days, the package was opened and no browning,
darkening or mold formation was observed on the stable product
composition of this invention.

Example 4

A stable puree composition was made by the following process.

- 5 Frozen avocado was cut into 3x3x3mm chunks at a temperature of about -10°C.

A base suspension was prepared by mixing the following ingredients:

10

Ingredient	Weight %
Thickening Agent (Citrus Fiber)	3.0%
Sunflower Oil	4.0%
Polysorbate	0.5%
Pectin	0.3%
Potassium Sorbate	0.1%
Water	Balance

The resulting base composition was mixed to produce a base suspension. The base suspension was homogenized in a colloid mill.

15

The base and the avocado chunks were mixed in a 4:1 ratio on weight basis and the pH was adjusted to pH 3.7 at 20°C using hydrochloric acid. This product was heated in a surface scraped heat exchanger to about 75°C. It was kept at this temperature

- 20 for about 2.7 min and subsequently cooled to about 30°C in a surface scraped heat exchanger. The stable product was sealed in a package and kept at ambient temperature. After about 65 days, the package was opened and no browning, darkening or mold

15

formation was observed on the stable product composition of this invention.

Example 5

5

A base suspension was prepared by mixing the following ingredients:

Ingredient	Weight %
Vegetable oil	17.6
Vegetable fat SBO 37	10.4
Glucose	8.18
Fiber (Citrus fiber)	3.9
Salt	2.03
Sugar	1.31
Whey protein	0.61
Polisorbate 60	0.39
Citric acid	0.3
Potassium sorbate	0.3
Emulsifier (monoestearate)	0.22
Xanthan gum	0.13
Lecithin	0.11
Pectin	0.08
EDTA	0.01
Water	balance

The resulting base composition was mixed to produce a base suspension. The base suspension was homogenized in a colloid mill.


The base and the avocado chunks were mixed in a 4:1 ratio on weight basis and the pH was adjusted to pH 3.7 at 20°C using hydrochloric acid. This product was heated in a surface scraped heat exchanger to about 75°C. It was kept at this temperature for about 2.7 min and subsequently cooled to about 30°C in a surface scrapped heat exchanger. The stable product was sealed in a package and kept at ambient temperature. After about 65

16

days, the package was opened and no browning, darkening or mold formation was observed on the stable product composition of this invention.

5

The results of the experiments above indicate that pulps and puree compositions prepared via this invention, unexpectedly, have a superior shelf life.



Claims

1. A stabilized fruit pulp composition comprising:
 - (a) from about 50.0% to about 99.0% by weight water;
 - (b) fruit pulp comprising chunks, said chunks having dimensions of from about 1x1x1 mm to about 15x15x15 mm; and
 - (c) from about 0.01 to about 40.0% by weight oil

wherein the stabilized fruit pulp composition is the product of fruit comprising water, pulp comprising said chunks, and oil that has been heated to a temperature from about 30°C to a temperature not over about 90°C for less than about four minutes and that has a hardness factor of at least about 300 dynes prior to heating.

2. The stabilized fruit pulp composition according to claim 1, wherein the fruit is an avocado, banana, mango, guava, fig, papaya, kiwi, star fruit, pineapple, or a mixture thereof.
3. The stabilized fruit pulp composition according to any one of the preceeding claims, wherein the fruit is an avocado.
4. The stabilized fruit pulp composition according to any one of the preceeding claims, wherein the fruit has been picked 1 to 4 weeks prior to being ripe and stored in a dark room for less than about 1.5 weeks at a temperature of about 15°C to about 30°C before being heated.
5. The stabilized fruit pulp composition according to any one of the preceeding claims, where the fruit is subjected to

storage conditions of relative humidity between about 40-70% before being heated.

6. The stabilized fruit pulp composition according to any one of the preceeding claims, wherein the fruit has been heated for about 10 seconds to about 3.5 minutes.

7. The stabilized fruit pulp composition according to any one of the preceeding claims, wherein the stabilized fruit pulp composition can be added to the composition comprising a thickening base to produce a puree composition.

8. The stabilized fruit pulp composition according to any one of the preceeding claims, wherein the chunks have dimensions of from about 2x2x2 mm to about 10x10x10 mm.

9. A stable puree composition comprising:

- (a) from about 20.0% to about 95.0% by weight water;
- (b) from about 0.01 to about 10.0% by weight thickening base; and
- (c) from about 1 to about 75.0% by weight stabilized fruit pulp composition comprising chunks, said chunks having dimensions of from 1x1x1 mm to about 15x15x15 mm.

wherein the puree composition has a viscosity from about 5,000 to about 90,000 centipoise, and a shelf life at about ambient temperature of at least about 65 days.

10. The stable puree composition according to claim 9, wherein the stable puree composition has a pH from at least about 3.0 to less than or equal to about 7.0.

11. The stable puree composition according to either claim 8 or 9, wherein the stable puree composition can be used as a dressing, dip, spread, cooking additive or baking additive.

12. The stable puree composition according to any one of claims 9-11, wherein the stable puree composition further comprises from about 0.5 to about 25.0% by weight of a fat additive.

13. The stable puree composition according to any one of claims 8-12, wherein the stable puree composition further comprises food grade flavoring, food grade coloring, protein powder, preservative, emulsifier, acid, spices, texturizing agent or a mixture thereof.

14. The stable puree composition according to any one of claims 9-13, wherein the fruit has been picked 1 to 4 weeks prior to being ripe and stored in a dark room for less than about 1.5 weeks at a temperature of about 15°C to about 30°C before being heated.

15. The stable puree composition according to any one of claims 9-14, wherein the fruit has been subjected to storage conditions of relative humidity between about 40-70% before being heated.

16. The stable puree composition according to any one of claims 9-15, wherein the stable puree composition is shelf stable at ambient temperature for at least about 65 days.

17. The stable puree composition according to any one of claims 9-16, wherein the stable puree composition has a viscosity from about 18,000 to about 30,000 centipoise.

18. The stable puree composition according to any one of claims 9-17, wherein the chunks have dimensions of from about 2x2x2 mm to about 10x10x10 mm.

19. The stable puree composition according to any one of claims 9-18, wherein the fruit is an avocado, banana, mango, guava, fig, papaya, kiwi, star fruit, pineapple, or a mixture thereof.

20. A method for making a stabilized fruit pulp composition comprising the steps of:

- (a) harvesting fruit about 1 to 4 weeks prior to being ripe;
- (b) storing the harvested fruit in a dark room at a temperature from about 10°C to about 35°C for less than about 1.5 weeks;
- (c) in no particular order, peeling, depitting or coring, if necessary, the fruit and cutting or mashing the fruit to produce fruit pulp, the pulp comprising chunks having dimensions of from 1x1x1 mm to 15x15x15 mm;
- (d) mixing the fruit flesh with about 0.01 to about 5.0% by weight acidulant to produce an acidulant and fruit flesh mixture;
- (e) heating the acidulant and fruit flesh mixture to a temperature not over about 90°C for less than about 4 minutes

wherein the fruit has a hardness factor of at least 300 dynes prior to heating.

21. A method for making a stabilized fruit puree composition comprising the steps of:

- (a) mixing together fruit pulp comprising chunks, said chunks having dimensions of from 1x1x1 mm to 15x15x15 mm and a thickening base composition,
- (b) mixing the mixture from step a) with about 0.01 to about 5% by weight acidulant, to achieve a pH of 3.0 - 4.1 for the mixture of step b),
- (c) heating the mixture from step b) to a temperature not over 90°C for less than 4 minutes.

22. The method for making a stabilized fruit pulp or fruit puree composition according to either one of claims 20 or 21, wherein the fruit is avocado, banana, mango, guava, fig, papaya, kiwi, star fruit, pineapple or a mixture thereof.

23. The method for making a stabilized fruit pulp composition according to either one of claims 20 or 21, wherein the stabilized fruit pulp composition comprises from about 50.0 to about 99.0% by weight water; fruit pulp; 0.1 to about 40.0% by weight oil; substantially no quality detrimental enzyme activity after heating.

24. The method according to claim 23, wherein the stabilized fruit pulp composition comprises from about 75.0 to about 99.0% by weight water; fruit pulp; 0.1 to about 20.0% by weight oil.

16 DEC. 2003 13:17
F 7751 (v)

PATENT DEPT. +31104606290

NO. 8975 - P. 30

THE PATENT OFFICE

III

16 DEC 2003

RECEIVED BY FAX

22

Abstract

A stabilized fruit pulp comprising chunks of dimensions 1x1x1 mm to 15x15x15 mm is described. The stabilized fruit pulp has not been subjected to temperatures that exceed 90 degrees centigrade, has substantially no active polyphenol oxidase, and is suitable for use in puree compositions that can be used in dressings, dips and spreads.

0088971 16-Dec